



Applications	Année	Dimensions	Coeur	Offset	OEM	Alternative centré par le coeur	Multi-Application
ACADIA	08-16	17X7 - 6X132	74.5	50	---	X5279C	---
ACADIA	17-19	17X7 - 6X120	67.1	30	---	X8109C	---
		18X7 - 6X120	67.1	35	---	X8120C	---
ALERO	99-04	15X6-1/2 - 5X4-1/2	71.5	50	---	---	X2150
		16X6-1/2 - 5X4-1/2	70.3	52	---	X8043	X2153C
ASTRO	03-05	16X6-1/2 - 6X5-1/2	78.1	30	---	X5128	---
AVALANCHE 1500	01-15	17X7-1/2 - 6X5-1/2	78.1	30	---	X8072U, X8069C	---
AVALANCHE 2500	02-07	16X6-1/2 - 8X6-1/2	117	26	---	X5195	---
		17X7 - 8X6-1/2	121	45	---	---	X2185C
		18X8 - 8X6-1/2	121	25	---	---	X2188C
AVEO	04-11	14X5-1/2 - 4X100	57.1	45	---	X63827C571	---
BLAZER S10 2x4	95-05	15X7 - 5X4-3/4	70.3	13	X5030	---	---
BLAZER S10 4x4	95-05	Non Disponible					
BOLT	17-19	15X6 - 5X105	56.5	37	---	X5524C	---
		16X6-1/2 - 5X105	56.5	40	---	X5474C	---
		17X6-1/2 - 5X105	56.5	40	---	X5475C	---
BRAVADA	02-04	16X7 - 6X5	78.1	50	X5139	---	---
BRAVADA	04-04	17X7 - 6X5	78.1	50	---	X5134C	---
CANYON	04-12	16X7 - 6X5-1/2	106	15	---	---	X8086C
CANYON	15-19	16X7 - 6X120	67.1	30	---	X8115C	---
		17X7 - 6X120	67.1	30	---	X8109C	---
		18X7 - 6X120	67.1	35	---	X8120C	---
CHEVROLET 1500	96-99	15X7 - 5X5	78.1		X8030	---	---
CHEVROLET 2500	89-00	16X6-1/2 - 8X6-1/2	117	17	X1619	---	---
CHEVROLET 3500	88-00	16X6-1/2 - 8X6-1/2	117	17	X1619	---	---
CHEVROLET VAN 1500	96-02	15X7 - 5X5	78.1		X8030	---	---



Applications	Année	Dimensions	Coeur	Offset	OEM	Alternative centré par le coeur	Multi-Application
CHEVROLET VAN 2500	96-02	16X6-1/2 - 8X6-1/2	117	17	X1619	---	---
CHEVROLET VAN 3500	96-02	16X6-1/2 - 8X6-1/2	117	17	X1619	---	---
CITY EXPRESS	15-19	15X6-1/2 - 5X4-1/2	71.5	50	---	---	X2150
COBALT (4 BOLTS)	04-10	14X5-1/2 - 4X100	57.1	45	---	X63827C571	---
		15X6 - 4X100	57.1	41	---	X8077C	---
COBALT (5 BOLTS)	04-10	15X6 - 5X110	65.1	45	---	X7014	---
		15X6-1/2 - 5X110	65.1	41	---	X68212C	---
		16X6-1/2 - 5X110	65.1	39	---	X8055C	---
		17X7 - 5X110	65.1	42	---	X8075C	---
COBALT SS	08-10	18X7-1/2 - 5X110	65.1	40	---	X48510	---
COLORADO	04-12	16X7 - 6X5-1/2	106	15	---	---	X8086C
COLORADO	15-19	16X7 - 6X120	67.1	30	---	X8115C	---
		17X7 - 6X120	67.1	30	---	X8109C	---
		18X7 - 6X120	67.1	35	---	X8120C	---
CRUZE DIESEL	14-16	16X6-1/2 - 5X4-1/2	71.5	40	---	---	X2153C
		17X7 - 5X4-1/2	71.5	40	---	---	X62425C715
CRUZE DIESEL	18-18	16X6-1/2 - 5X105	56.5	40	---	X5474C	---
		17X6-1/2 - 5X105	56.5	40	---	X5475C	---
CRUZE	11-18	15X6 - 5X105	56.5	37	---	X5524C	---
		16X6-1/2 - 5X105	56.5	40	---	X5474C	---
		17X6-1/2 - 5X105	56.5	40	---	X5475C	---
ENVOY V6	02-09	16X7 - 6X5	78.1	50	X5139	---	---
		17X7 - 6X5	78.1	50	---	X5134C	---
ENVOY V8	02-09	17X7 - 6X5	78.1	50	---	X5134C	---
EPICA	04-07	14X6 - 4X4-1/2	56.6	49	---	X77028	---
		15X6 - 4X4-1/2	66.1	45	---	---	X62302C



Applications	Année	Dimensions	Coeur	Offset	OEM	Alternative centré par le coeur	Multi-Application
<b>EQUINOX</b>	<b>05-09</b>	16X6-1/2 - 5X4-1/2	70.3	52	---	X8043	X2153C
<b>EQUINOX</b>	<b>10-17</b>	17X7 - 5X120	67.1	40	---	X8088C	---
		18X8 - 5X120	67.1	40	---	X8098C	---
<b>EQUINOX</b>	<b>18-19</b>	17X7 - 5X4-1/2	70.3	43	---	X62425C703	X62425C715
		18X7 - 5X4-1/2	70.3	46	---	X62490C703	X62490C715
<b>EXPRESS 1500</b>	<b>03-08</b>	16X6-1/2 - 6X5-1/2	78.1	30	---	X5128	---
<b>EXPRESS 1500</b>	<b>09-14</b>	17X7-1/2 - 6X5-1/2	78.1	30	---	X8072U, X8069C	---
<b>EXPRESS 2500</b>	<b>03-08</b>	16X6-1/2 - 6X5-1/2	78.1	30	---	X5128	---
<b>EXPRESS 2500</b>	<b>03-19</b>	16X6-1/2 - 8X6-1/2	117	26	---	X5195	---
		17X7 - 8X6-1/2	121	45	---	---	X2185C
		18X8 - 8X6-1/2	121	25	---	---	X2188C
<b>EXPRESS 3500</b>	<b>03-19</b>	16X6-1/2 - 8X6-1/2	117	26	---	X5195	---
		17X7 - 8X6-1/2	121	45	---	---	X2185C
		18X8 - 8X6-1/2	121	25	---	---	X2188C
<b>GMC 1500</b>	<b>96-99</b>	15X7 - 5X5	78.1		X8030	---	---
<b>GMC 2500</b>	<b>89-00</b>	16X6-1/2 - 8X6-1/2	117	17	X1619	---	---
<b>GMC 3500</b>	<b>88-00</b>	16X6-1/2 - 8X6-1/2	117	17	X1619	---	---
<b>GMC VAN 1500</b>	<b>96-96</b>	15X7 - 5X5	78.1		X8030	---	---
<b>GMC VAN 2500</b>	<b>96-02</b>	16X6-1/2 - 8X6-1/2	117	17	X1619	---	---
<b>GMC VAN 3500</b>	<b>96-02</b>	16X6-1/2 - 8X6-1/2	117	17	X1619	---	---
<b>HHR</b>	<b>06-11</b>	16X6-1/2 - 5X110	65.1	39	---	X8055C	---
		17X7 - 5X110	65.1	42	---	X8075C	---
<b>IMPALA</b>	<b>00-13</b>	16X6-1/2 - 5X4-1/2	70.3	52	---	X8043	X2153C
		17X7 - 5X4-1/2	70.3	43	---	X62425C703	X62425C715
<b>IMPALA</b>	<b>14-18</b>	17X7 - 5X120	67.1	40	---	X8088C	---
		18X8 - 5X120	67.1	40	---	X8098C	---



Applications	Année	Dimensions	Coeur	Offset	OEM	Alternative centré par le coeur	Multi-Application
<b>JIMMY S15 2X4</b>	<b>95-05</b>	15X7 - 5X4-3/4	70.3	13	X5030	---	---
<b>JIMMY S15 4X4</b>	<b>95-05</b>	Non Disponible					
<b>MALIBU 1.5T - 2.0T - HYBRID</b>	<b>16-18</b>	16X6-1/2 - 5X4-1/2	71.5	40	---	---	X2153C
		17X7 - 5X4-1/2	70.3	43	---	X62425C703	X62425C715
		18X7 - 5X4-1/2	70.3	46	---	X62490C703	X62490C715
<b>MALIBU 15" O.E.</b>	<b>04-07</b>	15X6 - 5X110	65.1	45	---	X7014	---
		15X6-1/2 - 5X110	65.1	41	---	X68212C	---
		16X6-1/2 - 5X110	65.1	39	---	X8055C	---
<b>MALIBU LIMITED 2.5L</b>	<b>16-17</b>	16X6-1/2 - 5X120	67.1	45	---	X8102C	---
		17X7 - 5X120	67.1	40	---	X8088C	---
		18X8 - 5X120	67.1	40	---	X8098C	---
<b>MALIBU</b>	<b>97-03</b>	15X6-1/2 - 5X4-1/2	71.5	50	---	---	X2150
		16X6-1/2 - 5X4-1/2	70.3	52	---	X8043	X2153C
<b>MALIBU</b>	<b>04-12</b>	16X6-1/2 - 5X110	65.1	39	---	X8055C	---
		17X7 - 5X110	65.1	42	---	X8075C	---
<b>MALIBU 2,0T</b>	<b>13-15</b>	17X7 - 5X120	67.1	40	---	X8088C	---
		18X8 - 5X120	67.1	40	---	X8098C	---
<b>MALIBU 2,5L</b>	<b>13-15</b>	16X6-1/2 - 5X120	67.1	45	---	X8102C	---
		17X7 - 5X120	67.1	40	---	X8088C	---
		18X8 - 5X120	67.1	40	---	X8098C	---
<b>MONTE CARLO</b>	<b>00-07</b>	16X6-1/2 - 5X4-1/2	70.3	52	---	X8043	X2153C
		17X7 - 5X4-1/2	70.3	43	---	X62425C703	X62425C715
<b>OPTRA</b>	<b>04-07</b>	14X6 - 4X4-1/2	56.6	49	---	X77028	---
		15X6 - 4X4-1/2	66.1	45	---	---	X62302C
<b>ORLANDO</b>	<b>12-15</b>	16X6-1/2 - 5X4-1/2	71.5	40	---	---	X2153C
		17X7 - 5X4-1/2	70.3	43	---	X62425C703	X62425C715
		18X7 - 5X4-1/2	70.3	46	---	X62490C703	X62490C715



Applications	Année	Dimensions	Coeur	Offset	OEM	Alternative centré par le coeur	Multi-Application
SAFARI	03-05	16X6-1/2 - 6X5-1/2	78.1	30	---	X5128	---
SAVANA 1500	03-06	16X6-1/2 - 6X5-1/2	78.1	30	---	X5128	---
SAVANA 1500	09-14	17X7-1/2 - 6X5-1/2	78.1	30	---	X8072U, X8069C	---
SAVANA 2500	03-06	16X6-1/2 - 6X5-1/2	78.1	30	---	X5128	---
SAVANA 2500	03-18	16X6-1/2 - 8X6-1/2	117	26	---	X5195, X5195	---
SAVANA 2500	03-19	17X7 - 8X6-1/2	121	45	---	---	X2185C
		18X8 - 8X6-1/2	121	25	---	---	X2188C
SAVANA 3500	03-19	17X7 - 8X6-1/2	121	45	---	---	X2185C
		18X8 - 8X6-1/2	121	25	---	---	X2188C
SIERRA 1500	99-07	16X6-1/2 - 6X5-1/2	78.1	30	---	X5128	---
SIERRA 1500	99-19	17X7-1/2 - 6X5-1/2	78.1	30	---	X8072U, X8069C	---
		18X7 - 6X5-1/2	78.1	20	---	X8071C	---
SIERRA 1500 HD	01-07	16X6-1/2 - 8X6-1/2	117	26	---	X5195	---
		17X7 - 8X6-1/2	121	45	---	---	X2185C
		18X8 - 8X6-1/2	121	25	---	---	X2188C
SIERRA 2500	00-10	16X6-1/2 - 8X6-1/2	117	26	---	X5195	---
		17X7 - 8X6-1/2	121	45	---	---	X2185C
		18X8 - 8X6-1/2	121	25	---	---	X2188C
SIERRA 2500	11-19	17X7 - 8X180	124.3	45	---	X8095N, X8095C	---
		18X8 - 8X180	124.3	45	X8096	---	---
SIERRA 3500	00-10	16X6-1/2 - 8X6-1/2	117	26	---	X5195	---
		17X7 - 8X6-1/2	121	45	---	---	X2185C
		18X8 - 8X6-1/2	121	25	---	---	X2188C
SIERRA 3500	06-10	16X7 - 8X6-1/2	107	27	X5266	---	---
SIERRA 3500	11-19	17X7 - 8X180	124.3	45	---	X8095N, X8095C	---
		18X8 - 8X180	124.3	45	X8096	---	---



Applications	Année	Dimensions	Coeur	Offset	OEM	Alternative centré par le coeur	Multi-Application
SILVERADO 1500	99-07	16X6-1/2 - 6X5-1/2	78.1	30	---	X5128	---
SILVERADO 1500	99-19	17X7-1/2 - 6X5-1/2	78.1	30	---	X8072U, X8069C	---
		18X7 - 6X5-1/2	78.1	20	---	X8071C	---
SILVERADO 1500 HD	01-07	16X6-1/2 - 8X6-1/2	117	26	---	X5195	---
		17X7 - 8X6-1/2	121	45	---	---	X2185C
		18X8 - 8X6-1/2	121	25	---	---	X2188C
SILVERADO 2500	00-10	16X6-1/2 - 8X6-1/2	117	26	---	X5195	---
		17X7 - 8X6-1/2	121	45	---	---	X2185C
		18X8 - 8X6-1/2	121	25	---	---	X2188C
SILVERADO 2500	11-19	17X7 - 8X180	124.3	45	---	X8095N, X8095C	---
		18X8 - 8X180	124.3	45	X8096	---	---
SILVERADO 3500	00-10	16X6-1/2 - 8X6-1/2	117	26	---	X5195	---
		17X7 - 8X6-1/2	121	45	---	---	X2185C
		18X8 - 8X6-1/2	121	25	---	---	X2188C
SILVERADO 3500	06-10	16X7 - 8X6-1/2	107	27	X5266	---	---
SILVERADO 3500	11-19	17X7 - 8X180	124.3	45	---	X8095N, X8095C	---
		18X8 - 8X180	124.3	45	X8096	---	---
SONIC	12-19	15X6 - 5X105	56.5	37	---	X5524C	---
		16X6-1/2 - 5X105	56.5	40	---	X5474C	---
		17X6-1/2 - 5X105	56.5	40	---	X5475C	---
SONOMA 2X4	94-97	15X7 - 5X4-3/4	70.3	13	X5030	---	---
SONOMA 4X4	94-97	Non Disponible					
SPARK	13-19	14X5-1/2 - 4X100	57.1	45	---	---	X63827C571
		15X6 - 4X100	57.1	41	---	X8077C	---
SUBURBAN 1500	95-99	16X6-1/2 - 8X6-1/2	117	17	X1619	---	---
SUBURBAN 1500	96-99	15X7 - 5X5	78.1		X8030	---	---



Applications	Année	Dimensions	Coeur	Offset	OEM	Alternative centré par le coeur	Multi-Application
<b>SUBURBAN 1500</b>	<b>99-06</b>	16X6-1/2 - 6X5-1/2	78.1	30	---	X5128	---
<b>SUBURBAN 1500</b>	<b>00-19</b>	17X7-1/2 - 6X5-1/2	78.1	30	---	X8072U, X8069C	---
		18X7 - 6X5-1/2	78.1	20	---	X8071C	---
<b>SUBURBAN 2500</b>	<b>92-99</b>	16X6-1/2 - 8X6-1/2	117	17	X1619	---	---
<b>SUBURBAN 2500</b>	<b>00-13</b>	16X6-1/2 - 8X6-1/2	117	26	---	X5195	---
<b>SUBURBAN 2500</b>	<b>07-19</b>	17X7 - 8X180	124.3	45	---	X8095N, X8095C	---
<b>SUBURBAN 3500</b>	<b>16-16</b>	18X8 - 8X180	124.3	45	X8096	---	---
<b>TAHOE</b>	<b>96-99</b>	15X7 - 5X5	78.1		X8030	---	---
<b>TAHOE</b>	<b>99-06</b>	16X6-1/2 - 6X5-1/2	78.1	30	---	X5128	---
<b>TAHOE</b>	<b>00-19</b>	17X7-1/2 - 6X5-1/2	78.1	30	---	X8072U, X8069C	---
		18X7 - 6X5-1/2	78.1	20	---	X8071C	---
<b>TERRAIN</b>	<b>10-17</b>	17X7 - 5X120	67.1	40	---	X8088C	---
		18X8 - 5X120	67.1	40	---	X8098C	---
<b>TERRAIN</b>	<b>18-19</b>	16X6-1/2 - 5X4-1/2	71.5	40	---	---	X2153C
		17X7 - 5X4-1/2	70.3	43	---	X62425C703	X62425C715
		18X7 - 5X4-1/2	70.3	46	---	X62490C703	X62490C715
<b>TRAILBLAZER</b>	<b>01-04</b>	16X7 - 6X5	78.1	50	X5139	---	---
<b>TRAILBLAZER</b>	<b>04-09</b>	17X7 - 6X5	78.1	50	---	X5134C	---
<b>TRAVERSE</b>	<b>09-17</b>	17X7 - 6X132	74.5	50	---	X5279C	---
<b>TRAVERSE</b>	<b>18-19</b>	17X7 - 6X120	67.1	30	---	X8109C	---
		18X7 - 6X120	67.1	35	---	X8120C	---
<b>TRAX</b>	<b>13-19</b>	16X6-1/2 - 5X105	56.5	40	---	X5474C	---
		17X6-1/2 - 5X105	56.5	40	---	X5475C	---
<b>UPLANDER</b>	<b>05-05</b>	16X6-1/2 - 5X4-1/2	70.3	52	---	X8043	X2153C
<b>UPLANDER</b>	<b>06-09</b>	17X6-1/2 - 6X115	70.3	52	---	X8037C	---
<b>VENTURE</b>	<b>97-05</b>	16X6-1/2 - 5X4-1/2	70.3	52	---	X8043	X2153C



Applications	Année	Dimensions	Coeur	Offset	OEM	Alternative centré par le coeur	Multi-Application
VOLT	12-15	16X6-1/2 - 5X4-1/2	71.5	40	---	---	X2153C
		17X7 - 5X4-1/2	70.3	43	---	X62425C703	X62425C715
		18X7 - 5X4-1/2	70.3	46	---	X62490C703	X62490C715
VOLT	16-19	16X6-1/2 - 5X105	56.5	40	---	X5474C	---
		17X6-1/2 - 5X105	56.5	40	---	X5475C	---
YUKON 1500	07-19	17X7-1/2 - 6X5-1/2	78.1	30	---	X8072U, X8069C	---
		18X7 - 6X5-1/2	78.1	20	---	X8071C	---
YUKON 2500	00-13	16X6-1/2 - 8X6-1/2	117	26	---	X5195	---
		17X7 - 8X6-1/2	121	45	---	---	X2185C
		18X8 - 8X6-1/2	121	25	---	---	X2188C
YUKON	92-06	17X7-1/2 - 6X5-1/2	78.1	30	---	X8072U, X8069C	---
YUKON	96-99	15X7 - 5X5	78.1		X8030	---	---